

#### **About**

BioClean Biotac Nitrile Gloves are latexfree, powder-free and resistant to a range of chemicals\*. The ambidextrous, white 300mm (12") long cleanroom gloves are antistatic, flexible and comfortable offering the wearer good dexterity for prolonged use.

### Specifications

COMPATIBILITY:

ISO Class 5

LENGTH:

300mm (12")

MATERIAL:

Nitrile

PROTEIN LEVEL:

Nitrile contains no natural latex proteins

SURFACE:

Finger-textured

SHAPE:


**Ambidextrous** 

COLOUR:

White

#### **Features**

- Resistant to a range of chemicals\*
- Antistatic
- Latex & powder-free
- Non-particulating EasyTear packaging









# **BIOCLEAN BIOTAC** Non-sterile Nitrile Gloves BIOTAC

FLEXIBLE & COMFORTABLE

**CHEMICAL RESISTANT\*** 

ANTISTATIC



Ms.G.Love© represents BioClean's range of cleanroom gloves



# Quality Standards

- Manufactured in a facility holding ISO 9001: 2008 and 89/686/EEC Article 11b certifications
- Conforms to Category 3 Complex Design Personal Protective Equipment PPE Directive 89/686/EEC
- Processed in an NEBB certified ISO Class 5 environment
- Complies with the requirements of Glove Standard EN420:2003 and EN374-1, 2 & 3:2003
- Physical properties comply with European Medical Glove Standard EN455-2:2009
- Suitable for contact with all foodstuffs.

# Shelf Life & Storage

Five (5) years from date of manufacture. Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

# **Physical Properties**

CHARACTERISTICS	VALUE	TEST METHOD
Freedom From Holes	1.5 AQL Performance Level 2	EN 374-2:2003
Glove Length +/-10mm (mm/inches)	290/11.4	EN 420:2003
Single Wall Thickness Minimum (mils/mm)	Cuff: 3.15/0.08 Palm: 4.33/0.11 Finger Tip: 6.69/0.17	EN 455-2:2009
Force At Break During Shelf Life	≥9	EN 455-2:2009

PALM WIDTHS (mm) ± 5mm							
SIZE	XS	S	М	L	XL	XXL	XXXL*
mm	75	85	95	105	115	119	122
TEST METHOD			EN 420:2003				

#### Glove Cleanliness Characteristics

PARTICLES				TYPICAL PARTICLE COUNT			TEST METHOD	
$\geq 0.5 \mu \text{m(counts/cm}^2)$					<1500			IEST-RP-CC005.4
	TYPICAL EXTRACTABLE IONS					TEST METHOD		
ANIONS	Fluoride	Chloride	Nitrite	Bromide	Nitrate	Phosphate	Sulphate	IEST-RP-CC005.4
(µg/cm <sup>2</sup> )	ND	0.11	ND	ND	0.26	ND	0.017	
CATIONS	Lithium	Sodium	Ammonium	Potassium	Calcium	Magnesium	Zinc	
(µg/cm <sup>2</sup> )	ND	0.029	0.011	0.03	0.31	0.002	ND	
ND = Not Detected, NT = Not Tested, NA = Not Applicable								





# **TO ORDER**

Re-order code	Size	Packing
BIOTAC-XS	XS	100 pieces per sealed inner PE bag; one inner PE bag per sealed outer PE bag; 10
BIOTAC-S	S	outer bags per lined carton (1000 pieces).
BIOTAC-M	M	
BIOTAC-L	L	*Size subject to minimum order quantity and lead time.
BIOTAC-XL	XL	
BIOTAC-XXL	XXL	
BIOTAC-XXXL	XXXL*	
	•	

For additional information visit us at www.bioclean.com, or call us at +44 1638 663338

#### **Nitritex Ltd**

Minton Enterprise Park Oaks Drive Newmarket, Suffolk CB8 7YY United Kingdom

BIOTAC/1810/PDS16



Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

\*Warning: No glove provides complete protection against all chemicals. Users must test the gloves against the particular chemicals and environment in which they will be used.

\*\*Please see product validation pack or contact Ansell customer service for specific data on use of gloves with cytotoxic drugs. Gloves used for protection against such drugs must be selected specifically for the type of chemicals used.

Ansell, ® and TM are trademarks owned by Ansell Limited or one of its affiliates. © 2012 - 2018 Ansell Limited. All Rights Reserved.