

BIOCLEAN FUSION

Non-sterile Polychloroprene Gloves
BFAP

About

BioClean Fusion Polychloroprene Gloves offer protection from a range of chemicals* and high tactility and comfort. The ultra clean glove is antistatic, double donnable and features a beaded cuff for strength and stability on the arm.

Specifications

COMPATIBILITY:
ISO Class 4

LENGTH:
290mm (11.4")

MATERIAL:
Polychloroprene

PROTEIN LEVEL:
Polychloroprene contains no natural latex proteins

SURFACE:
Finger-textured

SHAPE:
Ambidextrous

COLOUR:
Green

ULTRA CLEAN

ANTISTATIC

DOUBLE-DONNABLE

Features

- Low particulate count
- Powder-free & latex-free
- Excellent ESD properties
- Easy double-donning
- Chemical resistant*

EN 421:2010 ISO 374-5:2016



EN ISO 374
Type C



CE 0598



Ms.G.Love™ represents BioClean's range of cleanroom gloves



Quality Standards

- Manufactured in a facility holding ISO 9001:2015 and (EU)2016/425 Module D certifications
- Conforms to Category 3 - Complex Design Personal Protective Equipment PPE Regulation (EU)2016/425
- Processed in an NEBB certified ISO Class 4 environment
- Complies with the requirements of European Glove Standards EN420:2003 +A1:2009, EN374-1:2016, EN374-5:2016 and EN421:2010
- Physical properties comply with European Medical Glove Standard EN455-2:2015
- Suitable for contact with all foodstuffs. Regulation (EC)1935/2004 and (EC) 2023/2006.

Shelf Life & Storage

Five (5) years from date of manufacture. Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.

Physical Properties

CHARACTERISTICS	VALUE	TEST METHOD
Freedom From Holes	AQL 0.65 Performance Level 3	EN 374-2:2015
Glove Length +/-10mm (mm/inches)	290/11.4	EN 420:2003 + A1:2009
Single Wall Thickness Minimum (mils/mm)	Cuff: 2.76/0.07 Palm: 3.94/0.10 Finger Tip: 4.72/0.12	EN 455-2:2015
Force At Break During Shelf Life	≥6 N	EN 455-2:2015

PALM WIDTHS (mm) ± 5mm						
SIZE	XSmall	Small	Medium	Large	XLarge	XXLarge
mm	76	86	95	106	115	120
TEST METHOD				EN 420:2003 + A1:2009		

Glove Cleanliness Characteristics

PARTICLES					TYPICAL PARTICLE COUNT			TEST METHOD
≥ 0.5µm(counts/cm ²)					850			IEST-RP-CC005.4
TYPICAL EXTRACTABLE IONS								TEST METHOD
ANIONS	Fluoride	Chloride	Nitrite	Bromide	Nitrate	Phosphate	Sulphate	IEST-RP-CC005.4
(µg/cm ²)	ND	0.194	ND	ND	0.884	ND	0.025	
CATIONS	Lithium	Sodium	Ammonium	Potassium	Calcium	Magnesium	Zinc	
(µg/cm ²)	ND	0.099	0.003	0.315	0.652	0.007	ND	
ND = Not Detected, NT = Not Tested								

TO ORDER

Re-order code

BFAP-XS
BFAP-S
BFAP-M
BFAP-L
BFAP-XL
BFAP-XXL

Size

XSmall
Small
Medium
Large
XLarge
XXLarge

Packing

100 pieces per sealed inner PE bag; one inner PE bag per sealed outer PE bag; 10 outer bags per lined carton (1000 pieces)

For additional information visit us at www.bioclean.com, or call us at +44 1638 663338

Nitritex Ltd

Minton Enterprise Park
Oaks Drive
Newmarket, Suffolk
CB8 7YY
United Kingdom

BFAP/1811/PDS34

The Ansell logo consists of the word "Ansell" in a bold, blue, sans-serif font. A green swoosh underline is positioned beneath the letters "n" and "s".