

About

BioClean Vector Vinyl Gloves offer an economical alternative to nitrile whilst still providing tactility for precision work. The clear 300mm (12") long powder-free vinyl cleanroom gloves are ambidextrous and feature a beaded cuff for strength and stability on the arm.

Specifications

COMPATIBILITY:

ISO Class 5

LENGTH:

300mm (12")

MATERIAL:

Vinyl (PVC)

PROTEIN LEVEL:

PVC contains no natural latex proteins

SURFACE:

Smooth

SHAPE:

Ambidextrous

COLOUR:

Clear

Features

- Non-textured
- · Beaded cuff for strength
- Offer good tactility



BIOCLEAN VECTOR Non-sterile Vinyl Gloves BVA-F

NON-TEXTURED

LATEX-FREE

TACTILE











Quality Standards

- Manufactured in a facility holding ISO 9001:2015 and (EU)2016/425
 Module D certifications
- Conforms to Category 1 Simple Design Personal Protective Equipment PPE Regulation (EU) 2016/425
- Processed in an NEBB certified ISO Class 5 environment

Physical Properties

| CHARACTERISTICS | VALUE | TEST METHOD |
|--|---|--------------------------|
| Freedom From Holes | 1.5 AQL | EN 374-2:2015 |
| Glove Length +/-10mm (mm/inches) | 290/11.4 | EN 420:2003 + A1:2009 |
| Single Wall Thickness Minimum (mils/mm) | Cuff: 2.36/0.06 Palm: 3.54/0.09 Finger Tip: 3.94/0.10 | EN 455-2:2015 |
| Force At Break During Shelf Life | ≥3.6 N | EN 455-2:2015 |

| PALM WIDTHS (mm) ± 5mm | | | | | |
|------------------------|-------|--------|--------------------------|--------|--|
| SIZE | Small | Medium | Large | XLarge | |
| mm | 85 | 95 | 105 | 115 | |
| TEST METHOD | | | EN 420:2003 + A1:2009 | | |

Shelf Life & Storage

Five (5) years from date of manufacture. Store in a dry, cool place (<40°C) away from direct sunlight and fluorescent light.





Glove Cleanliness Characteristics

| PARTICLES | | | TYPICAL PARTICLE COUNT | | TEST METHOD | | | |
|------------------------------------|----------|----------|------------------------|-----------|-----------------|-------------|----------|-----------------|
| ≥ 0.5µm(counts/cm²) | | | <3000 | | IEST-RP-CC005.4 | | | |
| TYPICAL EXTRACTABLE IONS | | | | | | TEST METHOD | | |
| ANIONS | Fluoride | Chloride | Nitrite | Bromide | Nitrate | Phosphate | Sulphate | IEST-RP-CC005.4 |
| (µg/cm²) | 0.003 | 0.07 | 0.001 | 0.002 | 0.03 | 0.019 | 0.12 | |
| CATIONS | Lithium | Sodium | Ammonium | Potassium | Calcium | Magnesium | Zinc | |
| (µg/cm²) | 0.001 | 0.22 | ND | 0.007 | 0.035 | 0.002 | ND | |
| ND = Not Detected, NT = Not Tested | | | | | | | | |

TO ORDER

| Re-order code | Size | Packing |
|---------------|--------|--|
| BVA-E-S | Small | 100 pieces per sealed inner PE bag; one inner PE bag per sealed outer PE bag; 10 |
| BVA-E-M | Medium | outer bags per lined carton (1000 pieces) |
| BVA-E-L | Large | |
| BVA-E-XL | XLarge | |

For additional information visit us at www.bioclean.com, or contact us at;

Nitritex Ltd Minton Enterprise Park Oaks Drive Newmarket, Suffolk CB8 7YY United Kingdom

Tel: +44 1638 663338

Ansell US

111 Wood Avenue South Suite 210 Iselin, NJ 08830 USA

Tel: +1 800 800 0444

Nitritex (M) Sdn.Bhd

2 Jalan Jurunilai U1/20 Seksyen U1, Hicom Glenmarie Industrial Park 40150 Shah Alam, Selangor Malaysia

Tel: +603 5569 3857/3859



BVA-E/1904/PDS24

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

*Warning: No glove provides complete protection against all chemicals. Users must test the gloves against the particular chemicals and environment in which they will be used.

**Please see product validation pack or contact Ansell customer service for specific data on use of gloves with cytotoxic drugs. Gloves used for protection against such drugs must be selected specifically for the type of chemicals used.

Ansell, @ and TM are trademarks owned by Ansell Limited or one of its affiliates. @ 2012-2019 Ansell Limited. All Rights Reserved.