

Technical Datasheet

Nitrile gloves Power Grip | powder-free

Art.no.: 270865

HYGO STAR

Product image



Product specifications

- **secure grip in wet conditions, oil and grease**
- **precise fitting and sensitivity** at the same time
- premium disposable gloves, extra strong nitrile
- **against slipping: fish scale structure on both sides**
- elastic, very robust and durable
- resistant against biological hazards
- oil and grease resistant

Area of application

- for industry, assembly, gastronomy and food processing

Specification

Colour	orange
Size	7/S
Length	24cm

Technical Datasheet

Nitrile gloves Power Grip | powder-free

Art.no.: 270865



Additional information disposable gloves

Thickness fingertips in mm ($\pm 10\%$)	0.2
Thickness palm in mm ($\pm 10\%$)	0.14
Thickness shaft in mm ($\pm 10\%$)	0.11
Tear strength (min.) in N	6

Classification

Product standards



Product properties

Quality level	7 of 8
oil and grease resistance	6 of 8
chemical resistance	8 of 8
Powdering	powder-free
material	nitrile

Packing

Type of inner packaging	Cardboard
Type of outer packaging	Cardboard
Quantity inner packing	50 piece
Quantity outer packing	500 piece
Quantity CCG1 pallet	18.000 piece
Quantity full pallet	52.500 piece
LxWxH outer packing in cm	28,5 x 25,0 x 24,0
Volume outer packing in m ³	0.0171
Weight outer packing in gr.	4.360

Updated 03.01.2023

Page 2/3

Franz Mensch GmbH
Werner-von-Siemens-Str. 2
86807 Buchloe, Germany

www.franz-mensch.de/en

Contact us at:

Phone: +49 8241 9633-0
Fax: +49 8241 9633-100
E-mail: verkauf@franz-mensch.de

Franz Mensch is an FSC®-certified and ISO certified company.

FSC® certification no.: SGSCH-COC-050190
ISO 9001:2015

Technical Datasheet

Nitrile gloves Power Grip | powder-free

Art.no.: 270865



Additional information	
Costums tariff number	4015120000
Country of origin	MY
EAN code outer packing	4015544906967
EAN code inner packing	4015544711165
Minimum shelf life	5 years from production date

You need more detailed information? We will be happy to advise you!

The technical data are average production values and may deviate slightly in individual cases.
Subject to change without notice, no warranty for misprints or errors.