

PurMop® PREPARE

Presaturation System for Cleanroom Cleaning | Stainless Steel

ISO	3	4	5	6	7	8
GMP			A/B		C	D

Product description



The PREPARE stainless steel system is an ultra-compact and mobile cleaning system for the presaturation of mops and has a 2-bucket concept. By pouring the cleaning / disinfectant fluid over the mops before usage, these can be easily and safely presaturated (before use in the cleanroom). One bucket serves as pickup of the fresh mops, the other is used for discarding the used mops. Thanks to its compact dimensions and its high-quality stainless steel design, the presaturation system is easy to clean and autoclavable.

- _ Durable full stainless steel construction, polished surfaces
- _ GMP compliant design
- _ 2-bucket system, 8.5 liters each
- _ Stainless steel sieve for fluid dosage
- _ Mop carrier for easy pickup of the mops
- _ Grease-free, non-marking, castors
- _ Unit completely autoclavable

Product specifications

Item Name: PurMop® PREPARE System

Application / Usage: Recommended for use in small and sterile cleanroom areas

Material: Stainless steel 1.4301 / AISI 304, polished | castors thermoplastic polyurethane rubber

Chemical compatibility: Can be used in combination with common cleanroom biocides, detergents and alcohols

Autoclave compatibility: Autoclavable under 121° C - 20 min. or 134° C - 5 min. No guarantee is given for deviating autoclave parameters

Customs tariff number | Country of Origin: 73239300 | Federal Republic of Germany

Compatible accessories: PurMop® stainless steel and plastic equipment

PurMop® Safe-Use and Basic-Use mops

Industry sectors



Application



PurMop® PREPARE

Presaturation System for Cleanroom Cleaning | Stainless Steel

THE PREPARE WORKFLOW

STEP 1

Add required mops



- ▶ Select required quantity of mops and place them into bucket no. 1 (pockets facing upwards), capacity up to 10 mops

STEP 2

Prepare Fluid



- ▶ Fill the required fluid amount into the scaled fluid bucket (bucket no. 2)

STEP 3

Distribute fluid over the mops



- ▶ Place dosage sieve on bucket no. 1 (containing the mops)
- ▶ Pour the fresh fluid into the dosage sieve
- ▶ Wait appr. 5 minutes to achieve an even wetting of all mops

STEP 4

Pickup presaturated mops



- ▶ Presaturated mops can be individually removed from the mop bucket no. 1. The specially designed mop carrier simplifies picking up the mops without hand contact

STEP 5

Mop discarding



- ▶ After the wiping process, the used mops are discarded in the empty fluid bucket no. 2
- ▶ Therefore cross contamination is avoided through the separation of the fresh and used mops

PurMop® PREPARE

Presaturation System for Cleanroom Cleaning | Stainless Steel

PREPARE MODELS



PREPARE | Item. No. 2124001

- 2x 8.5 liter buckets
- stainless steel dosage sieve
- stainless steel mop carrier
- dimensions disassembled: L 53 x W 33 x H 28 cm
- dimensions assembled: L 53 x W 33 x H 31 cm
- weight: 8 kg



PREPARE 311 | Item. No. 2121301

- Stainless steel trolley
- 2x 8.5 liter buckets, front
- 1x prepare unit, front
- 2x 8.5 liter additional buckets, rear
- stainless steel dosage sieve
- stainless steel mop carrier
- dimensions disassembled: L 48 x W 59 x H 90 cm
- dimensions assembled: L 58 x W 59 x H 90 cm
- weight: 18 kg

Simply clever

No need to turn around or handle mop buckets

Saturation possible with 1- 10 mops

Swift, simple presaturation saves time for small clean-rooms

Very compact size for easy storing after use

Savings



up to 75%
space



up to 25%
time



up to 30%
disinfectant