



# Datasheet

STAXS <sup>®</sup> Reference	Description
NS-0057	DOTCH <sup>®</sup> PP/Microporous PE film Sleeve cover, PP/microporous PE film, 60g/m <sup>2</sup> , white, 46x20cm, double bagged, 2 pcs/double bag, 100 double bags/box, irradiated

## DOTCH<sup>®</sup> PP/Microporous PE film Sleeve cover

STAXS<sup>®</sup> Reference : **NS-0057**

**DOTCH<sup>®</sup> PP/Microporous PE film Sleeve cover, PP/microporous PE film, 60g/m<sup>2</sup>, white, 46x20cm, double bagged, 2 pcs/double bag, 100 double bags/box, irradiated**



### Features & advantages

- PP/microporous PE film (60g/m<sup>2</sup>)
- Strong and durable
- One size fits all
- Low level of particle shedding
- Full material traceability
- Verifiable quality from a guaranteed source
- Continuous bioburden testing
- Latex-free elastics
- Packed in an easy-tear HDPE cleanroom bag
- Double packed in ISO 5 cleanroom (ISO 14644-1)
- Recommended for ISO 5 cleanrooms and higher
- Irradiated
- For single use only

Revision date : 19/01/2021

### Physical characteristics

Outside material	PP/microporous PE film, 60g/m <sup>2</sup>	CE	Cat I (PPER)
Colour	White	Length Width	46cm ± 2 cm 20cm ± 1 cm

## DOTCH<sup>®</sup> PP/Microporous PE film Sleeve cover

STAXS<sup>®</sup> Reference : **NS-0057**

### Technical data

Attribute	Unit	NS-0057	Test Methods
Particle count	number of particles/cm <sup>2</sup>		Helmke Drum Test IEST-RP-CC003.4
≥0,3-<0,5μm		0,182	Climatic conditions: ISO 6, 18°C ± 2°C, 50% - 10% RH
≥0,5-<1μm		0,125	
≥1-<3μm		0,224	
≥3-<5μm		0,012	
≥5-<10μm		0,005	
≥10μm		0,006	
Shelf life	years	2*	

\* From date of manufacture

### Notes:

- Technical data shown are typical values at the time of publication
- Due to differences in test methods applied and equipment used by different manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility and under similar conditions

Revision date : 19/01/2021



SCIENTIFIC CREDIBILITY

## DOTCH® PP/Microporous PE film Sleeve cover

STAXS® Reference : **NS-0057**

### Packaging

Product	Ref. No.	Pieces/ double bag	Double bags/ box	Box size	Box Weight
DOTCH® PP/Microporous PE film Sleeve cover	NS-0057	2	100	38x38x38cm	TBC

### Notes:

- Packed in HDPE cleanroom pouches with an easy-tear opening
- Box liner present in the box
- Minimum sales unit: 1 box
- Sterilization indicator on the inner label and on the box
- Production date, lot number and expiry date can be found on the inner label and on the box

### Storage

- Store in dry, clean conditions in the original packaging and keep out of direct sunlight, high temperatures and solvent vapors
- Store between 5°C and 40°C

### Certification

- Bioburden and dosing (Periodic Dose Audit) checked periodically - ISO 11137-2
- Certificate of irradiation (min. irradiation of 25kGy)
- Shelf life of 2 years from date of manufacture - ISO 11137-2 and ASTM F 1980-16
- Produced by STAXS® which is certified ISO 9001:2015

Revision date : 19/01/2021

PO Box 576 – 8440 AN - Heerenveen – The Netherlands  
T +31 (0)513 677 076 . F +31 (0)513 677 957 . customerservice@staxs.eu

STAXS®

Page 3/3