

TECHNICAL DATA SHEET



BaseLoop Mop (Pocket)



1. INTERNATIONAL ARTICLE NUMBER:

151060 (40 cm), 151061 (50, cm)

2. PRODUCT CLASSIFICATION:

- Floor cleaning
- For flat mopping systems

3. COMPOSITION:

Backing and pockets: 100 % Polyester

Pile (blue): 50 % Nylon Polyester Microfibre
50 % Polyester

4. TECHNICAL DATA:

	Typical Value	Unit
Weight per 40 cm mop	79	g
Weight per 50 cm mop	99	g
Max. water absorption 40 cm mop	170	mL
Max. water absorption 50 cm mop	230	mL

5. PRODUCT PROPERTIES & PRODUCT USAGE

- Universal knitted mop, providing good cleaning performance, absorbency and durability
- Easy to rinse
- For all floor types
- For normally soiled areas
- Suitable for damp and wet cleaning floor cleaning

Washing recommendations:

- Maximum washing temperature: 95°C
- Recommended washing temperature: 60°C

Application:

- Damp and wet

6. STORAGE, TRANSPORTATION & DISPOSAL

Keep palletized products in a cold and dry place. Avoid exposure to direct sunlight. Product is not subject to transportation regulations for hazardous substances or chemicals. Disposal via landfill or incineration possible

7. QUALITY APPROVALS / COMPLIANCE WITH INTERNATIONAL STANDARDS

This product is manufactured conforming to appropriate standards within FHCS Quality System.

Date: 2017/01/17

FREUDENBERG HOME AND CLEANING SOLUTIONS GMBH

Regional Technical Centre Europe
Höhnerweg 2 -4, Bau 149
69469 Weinheim, Germany

E-Mail: vileda.professional@fhp-ww.com
www.vileda-professional.com

Telefon: +49 (0) 6201 80 - 4336
Fax: +49 (0) 601 88 - 4339

a brand of
 FREUDENBERG

All information contained herein is given according to our specifications and best knowledge without any warranty or guarantee and can be changed without further notice. The suitability of our products to our customers specific applications and conditions of use has to be determined by our customers. In particular, product users shall not be released from their duty to check all health, safety and environment relevant properties of the delivered goods under their specific conditions of use.