



Datasheet

STAXS[®] Reference

N-0003-L

Description

DOTCH[®] Tyvek[®] Coat with zipper, Tyvek[®], 41g/m², white, L, double bagged,
1 pc/double bag, 25 double bags/box

DOTCH[®]

SCIENTIFIC CREDIBILITY

DOTCH[®] Tyvek[®] Coat

STAXS[®] Reference : **N-0003-SIZE**

DOTCH[®] Tyvek[®] Coat with zipper, Tyvek[®], 41g/m², white, size, double bagged, 1 pc/double bag, 25 double bags/box



Features & advantages

- Tyvek[®] 1422A (41g/m²)
- Very strong and resistant
- Low level of particle shedding
- Full material traceability
- Antistatic
- Verifiable quality from a guaranteed source
- Continuous bioburden testing
- Latex-free elastics
- Packed in an easy-tear HDPE cleanroom bag
- Double packed in ISO 5 cleanroom (ISO 14644-1)
- Recommended for ISO 7 cleanrooms and higher
- For single use only

Revision date : 09/03/2018

Physical characteristics

| | | | |
|------------------|--|--------------|------------------|
| Outside material | Tyvek [®] 1422A, 41g/m ² | PPE category | CE I |
| Colour | White | Size | S, M, L, XL, 2XL |

DOTCH[®] Tyvek[®] Coat

STAXS[®] Reference : **N-0003-SIZE**

Technical data

| Attribute | Unit | N-0003-SIZE | Test Methods |
|----------------|-------------------------------------|-------------|--|
| Bioburden | CFU | 30,63 | ISO 11737-1 |
| Particle count | number of particles/cm ² | | Helmke Drum Test IEST-RP-CC003.4 |
| ≥0,3-<0,5µm | | 0,251 | Climatic conditions: ISO 6, 18°C ± 2°C, 50% - 10% RH |
| ≥0,5-<1µm | | 0,245 | |
| ≥1-<3µm | | 0,356 | |
| ≥3-<5µm | | 0,028 | |
| ≥5-<10µm | | 0,006 | |
| ≥10µm | | 0,002 | |
| Shelf life | years | 2* | |

* From date of manufacture

Notes:

- Technical data shown are typical values at the time of publication
- Due to differences in test methods applied and equipment used by different manufacturers, valid product comparisons may only be obtained through side-by-side testing in the same test facility and under similar conditions

Revision date : 09/03/2018



SCIENTIFIC CREDIBILITY

DOTCH® Tyvek® Coat

STAXS® Reference : **N-0003-SIZE**

Packaging

| Product | Ref. No. | Pieces/bag | Bags/box | Box size | Box Weight |
|--------------------|-------------|------------|----------|------------|------------|
| DOTCH® Tyvek® Coat | N-0003-SIZE | 1 | 25 | 40x30x24cm | 5,0kg |

Notes:

- Packed in HDPE cleanroom pouches with an easy-tear opening
- Box liner present in the box
- Minimum sales unit: 1 box
- Production date, lot number and expiry date can be found on the inner label and on the box

Storage

- Store in dry, clean conditions in the original packaging and keep out of direct sunlight, high temperatures and solvent vapors
- Store between 5°C and 40°C

Certification

- Antistatic treatment (EN 1149-5) – on both sides
- Produced by STAXS® which is certified ISO 9001:2015

Revision date : 09/03/2018

Tyvek® is a registered trademark of DuPont™ or its affiliates.

PO Box 576 – 8440 AN - Heerenveen – The Netherlands
T +31 (0)513 677 076 . F +31 (0)513 677 957 . Info-nl@staxs.eu

STAXS®

Page 3/3